Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S40	2001	399/106.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 14:51
S41	167	(refillable or refill or add) toner cartridge (plug or cork or stopper or cap) (window or aperture or hole or translucent or transparent) (reflector or reflective or mirror or reflection or reflecting) (agitator or agitation or agitate or mixer or mixing or mixer or blade)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/21 14:52
S42	150	(refillable or refill or add) toner cartridge (seal) (window or aperture or hole or translucent or transparent) (reflector or reflective or mirror or reflection or reflecting) (agitator or agitation or agitate or mixer or mixing or mixer or blade)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/21 16:25
S43	42	S42 and "399".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/21 14:53
S44	158	399/109.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 16:22
S45	8	S44 and (process or method) near (plug or seal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 14:53
S46	94	S44 and (seal plug) and (removing or removal) and (method or process)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 14:54
S47	42	S44 and (seal plug) same (removing or removal) same (method or process)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 14:56

S48	738	222/DIG.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 16:16
S49	358	S48 and (cap or plug or seal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 14:56
S50	358	347/140.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 14:57
S51	13	347/140.ccls. and (seal or cap or plug or cork)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 14:57
S52	178	49/310.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 14:58
S53	137	49/dig.2.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 14:58
S54	147	215/294.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 14:58
S55	831	215/354.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 14:59

S56	83	(developer or toner) near filling near opening and sealing near member	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 14:59
S57	2	"399".clas. and (toner or developer) near (seal or plug or cap) near (tongue or base or clip)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/11/21 15:00
S58	112653	"399".clas. (seal or plug or cap) near (tongue or base or clip)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 15:00
S59	92852	."399".clas. (seal or plug or cap) near (tongue or clip)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 15:01
S60	46165	S59 and toner	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 15:01
S61	6809	S60 and cartridge	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 15:01
S62	4056	S61 and developer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 15:01
S63	27	"399".clas. and (seal or plug or cap) near (tongue or base or clip)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 15:02